

Statistic

Element

Value



Maximum Child Elements

<select id="archives-dropdown-3" name="archive-dropdown">

69

- Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

**Contrast** — These are opportunities to improve the legibility of your content.

- ▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

Failing Elements

input

```
<input type="text" class="field" name="s" id="s" placeholder="Buscar">
```

Asociación de Familiares de Enfermos de Alzheimer y otras Demencias de La Palma

```
<h2 id="site-description">Asociación de Familiares de Enfermos de Alzheimer y otras Demencias de La Palma</h2>
```



[solidaria-declaracion-renta/#more-1569" class="more-link">Sigue leyendo <span class="meta-nav">></span></a>](#)

11 mayo, 2020

<time datetime="2020-05-11T18:58:09+00:00" pubdate="">11 mayo, 2020</time>

Sigue leyendo →

23 marzo, 2020

<time datetime="2020-03-23T14:18:44+00:00" pubdate="">23 marzo, 2020</time>

8 enero, 2020

<time datetime="2020-01-08T11:00:48+00:00" pubdate="">8 enero, 2020</time>

Fundación DISA

<strong>Fundación DISA</strong>

7 enero, 2020

<time datetime="2020-01-07T11:00:51+00:00" pubdate="">7 enero, 2020</time>

Sigue leyendo →

26 noviembre, 2019

<time datetime="2019-11-26T18:14:50+00:00" pubdate="">26 noviembre, 2019</time>

Entradas anteriores

<button>Entradas anteriores</button>

Un millón de razones para marcar la X Solidaria en la declaración de la renta

[Un millón de razones para marcar la X Solidaria en la declaración de la renta</a>](https://afalalpalma.net/2020/05/11/un-millon-razones-marcar-x-solidaria-declaracion-renta/)

Confinamiento con un familiar con Alzheimer: recomendaciones generales de la Fu...

[Confinamiento con un familiar con Alzheimer: recomendaciones generales de la Fundación Pasqual Maragall</a>](https://afalalpalma.net/2020/03/23/confinamiento-con-un-familiar-con-alzheimer-recomendaciones-generales-de-la-fundacion-pasqual-maragall/)



[EL AYUNTAMIENTO DE LOS LLANOS DE ARIDANE PUBLICA POR SEGUNDO AÑO LOS CALENDARIOS SOLIDARIOS A FAVOR DE LAS ONGS](https://afalalpalma.net/2020/01/08/el-ayuntamiento-de-los-llanos-de-aridane-publica-por-segundo-ano-los-calendarios-solidarios-a-favor-de-las-ongs/)

AFA LA PALMA ENTRE LAS 12 ASOCIACIONES SIN ÁNIMO DE LUCRO DE CANARIAS QUE RECIB...

[AFA LA PALMA ENTRE LAS 12 ASOCIACIONES SIN ÁNIMO DE LUCRO DE CANARIAS QUE RECIBEN AYUDAS DE LA FUNDACIÓN DISA](https://afalalpalma.net/2020/01/07/afa-la-palma-12-asociaciones-canarias-reciben-ayudas-fundacion-disa/)

OBRA SOCIAL “LA CAIXA” Y FUNDACIÓN CAJACANARIAS DESTINAN CASI 1 MILLÓN DE EUROS...

[OBRA SOCIAL “LA CAIXA” Y FUNDACIÓN CAJACANARIAS DESTINAN CASI 1 MILLÓN DE EUROS A 49 ENTIDADES SOCIALES DEL ARCHIPIÉLAGO](https://afalalpalma.net/2019/11/26/obra-social-la-caixa-y-fundacion-cajacanarias-destinan-casi-1-millon-de-euros-a-49-entidades-sociales-del-archipiélago/)

8 ALIMENTOS PARA PROTEGER TU CEREBRO

[8 ALIMENTOS PARA PROTEGER TU CEREBRO](https://afalalpalma.net/2015/07/01/8-alimentos-para-proteger-tu-cerebro/ "8 ALIMENTOS PARA PROTEGER TU CEREBRO")

EL MEJOR CALZADO PARA LAS PERSONAS CON DEMENCIA

[EL MEJOR CALZADO PARA LAS PERSONAS CON DEMENCIA](https://afalalpalma.net/2015/02/12/el-mejor-calzado-para-las-personas-con-demencia/ "EL MEJOR CALZADO PARA LAS PERSONAS CON DEMENCIA")

POR QUÉ UTILIZAR MUSICOTERAPIA CON PERSONAS DIAGNOSTICADAS CON ALZHEIMER

[POR QUÉ UTILIZAR MUSICOTERAPIA CON PERSONAS DIAGNOSTICADAS CON ALZHEIMER](https://afalalpalma.net/2016/10/25/por-que-utilizar-musicoterapia-con-personas-diagnosticadas-con-alzheimer/ "POR QUÉ UTILIZAR MUSICOTERAPIA CON PERSONAS DIAGNOSTICADAS CON ALZHEIMER")

Política de Calidad

[Política de Calidad](https://afalalpalma.net/acerca-de/politica-de-calidad/ "Política de Calidad")

Confinamiento con un familiar con Alzheimer: recomendaciones generales de la Fu...

[Confinamiento con un familiar con Alzheimer: recomendaciones generales de la Fundación Pasqual Maragall](https://afalalpalma.net/2020/03/23/confinamiento-con-un-familiar-con-alzheimer-recomendaciones-generales-de-la-fundacion-pasqual-maragall/ "Confinamiento con un familiar con Alzheimer: recomendaciones generales de la Fundación Pasqual Maragall")



```
<a href="https://afalapalma.net/2014/08/07/tratamiento-fisioterapeutico-en-la-primera-fase-de-la-enfermedad/" title="TRATAMIENTO FISIOTERAPÉUTICO EN LA PRIMERA FASE DE LA ENFERMEDAD" class="bump-view" data-bump-view="tp">TRATAMIENTO FISIOTERAPÉUTICO EN LA PRIMERA FASE DE LA ENFERMEDAD</a>
```

### Breña Baja

```
<a href="https://afalapalma.net/tag/brena-baja/" class="tag-cloud-link tag-link-6521130 tag-link-position-3" style="font-size: 8pt;" aria-label="Breña Baja (10 elementos)">Breña Baja</a>
```

### Cabildo de La Palma

```
<a href="https://afalapalma.net/tag/cabildo-de-la-palma/" class="tag-cloud-link tag-link-32163020 tag-link-position-4" style="font-size: 11.652173913043pt;" aria-label="Cabildo de La Palma (18 elementos)">Cabildo de La Palma</a>
```

### Campañas Benéficas

```
<a href="https://afalapalma.net/tag/campanas-beneficas/" class="tag-cloud-link tag-link-14044171 tag-link-position-5" style="font-size: 13.630434782609pt;" aria-label="Campañas Benéficas (25 elementos)">Campañas Benéficas</a>
```

### CEAFA

```
<a href="https://afalapalma.net/tag/ceafa/" class="tag-cloud-link tag-link-8656795 tag-link-position-6" style="font-size: 10.130434782609pt;" aria-label="CEAFA (14 elementos)">CEAFA</a>
```

### Consejos

```
<a href="https://afalapalma.net/tag/consejos/" class="tag-cloud-link tag-link-18352 tag-link-position-7" style="font-size: 10.891304347826pt;" aria-label="Consejos (16 elementos)">Consejos</a>
```

### Convenios

```
<a href="https://afalapalma.net/tag/convenios-2/" class="tag-cloud-link tag-link-35325809 tag-link-position-8" style="font-size: 13.934782608696pt;" aria-label="Convenios (26 elementos)">Convenios</a>
```

### Cuidadores

```
<a href="https://afalapalma.net/tag/cuidadores-2/" class="tag-cloud-link tag-link-52836349 tag-link-position-9" style="font-size: 9.0652173913043pt;" aria-label="Cuidadores (12 elementos)">Cuidadores</a>
```

### Demencias

```
<a href="https://afalapalma.net/tag/demencias/" class="tag-cloud-link tag-link-149719 tag-link-position-10" style="font-size: 16.978260869565pt;" aria-label="Demencias (42 elementos)">Demencias</a>
```



```
cloud-link tag-link-11263276 tag-link-position-11" style="font-size: 14.847826086957pt;" aria-label="Día Mundial del Alzheimer (30 elementos)">Día Mundial del Alzheimer</a>
```

### Empresas Comprometidas Alzheimer

```
<a href="https://afalapalma.net/tag/empresas-comprometidas-alzheimer/" class="tag-cloud-link tag-link-430900562 tag-link-position-12" style="font-size: 10.130434782609pt;" aria-label="Empresas Comprometidas Alzheimer (14 elementos)">Empresas Comprometidas Alzheimer</a>
```

### La Palma

```
<a href="https://afalapalma.net/tag/la-palma/" class="tag-cloud-link tag-link-269325 tag-link-position-13" style="font-size: 13.934782608696pt;" aria-label="La Palma (26 elementos)">La Palma</a>
```

### Los Llanos de Aridane

```
<a href="https://afalapalma.net/tag/los-llanos-de-aridane/" class="tag-cloud-link tag-link-20994200 tag-link-position-14" style="font-size: 9.0652173913043pt;" aria-label="Los Llanos de Aridane (12 elementos)">Los Llanos de Aridane</a>
```

### Luchada Alzheimer La Palma

```
<a href="https://afalapalma.net/tag/luchada-alzheimer-la-palma/" class="tag-cloud-link tag-link-538697431 tag-link-position-15" style="font-size: 8.6086956521739pt;" aria-label="Luchada Alzheimer La Palma (11 elementos)">Luchada Alzheimer La Palma</a>
```

### Mayores

```
<a href="https://afalapalma.net/tag/mayores/" class="tag-cloud-link tag-link-265841 tag-link-position-16" style="font-size: 8.6086956521739pt;" aria-label="Mayores (11 elementos)">Mayores</a>
```

### Prevención

```
<a href="https://afalapalma.net/tag/prevencion/" class="tag-cloud-link tag-link-60337 tag-link-position-17" style="font-size: 15.152173913043pt;" aria-label="Prevención (31 elementos)">Prevención</a>
```

### SCE

```
<a href="https://afalapalma.net/tag/sce/" class="tag-cloud-link tag-link-887613 tag-link-position-18" style="font-size: 9.0652173913043pt;" aria-label="SCE (12 elementos)">SCE</a>
```

### Terapias

```
<a href="https://afalapalma.net/tag/terapias/" class="tag-cloud-link tag-link-74541 tag-link-position-19" style="font-size: 9.6739130434783pt;" aria-label="Terapias (13 elementos)">Terapias</a>
```

## Failing Elements



```
link-35572795 tag-link-position-20" style="font-size: 8.6086956521739pt;" aria-label="X Solidaria (11 elementos)">X Solidaria</a>
```

### RSS - Entradas

```
<a href="https://afalalpalma.net/feed/" title="Suscribirse a Entradas">RSS - Entradas</a>
```

### RSS - Comentarios

```
<a href="https://afalalpalma.net/comments/feed/" title="Suscribirse a Comentarios">RSS - Comentarios</a>
```

### Ver sitio web completo

```
<a href="https://afalalpalma.net/?ak_action=reject_mobile">Ver sitio web completo</a>
```

### Blog de WordPress.com.

```
<a href="https://wordpress.com/?ref=footer_blog" rel="nofollow">Blog de WordPress.com.</a>
```

### No vendas mi información personal

```
<a href="https://wordpress.com/advertising-program-optout" class="do-not-sell-link" rel="nofollow" style="margin-left: 0.5em;">No vendas mi información personal</a>
```

**Names and labels** — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

#### ▲ <frame> or <iframe> elements do not have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

## Failing Elements

### iframe

```
<iframe class="youtube-player" src="https://www.youtube.com/embed/0xSS8KUBz4Y?version=3&rel=1&fs=1&autoplay=2&showsearch=0&showinfo=1&iv_load_policy=1&wmode=transparent" allowfullscreen="true" style="border: 0px; display: block; margin: 0px; width: 326px; height: 183.654px;" data-ratio="0.5633561643835616" data-width="584" data-height="329">
```

#### ▲ Form elements do not have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies,



#### Failing Elements

input

```
<input type="text" class="field" name="s" id="s" placeholder="Buscar">
```

#### ▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users.

[Learn more.](#)

#### Failing Elements

img

```
<a href="https://afalalpalma.net/">  </a>
```

img

```
<a href="https://afalalpalma.net/2020/05/11/un-millon-razones-marcar-x-  
solidaria-declaracion-renta/">
```

img

```
<a href="https://afalalpalma.files.wordpress.com/2020/06/certificado-de-calidad-  
iso-2019.pdf">
```

img

```
<a href="https://afalalpalma.net/tag/cabildo-de-la-palma/">
```

img

```
<a href="https://www.fundaciondisa.org/">
```

img

```
<a href="https://afalalpalma.net/2015/12/04/la-caixa-gobierno-de-canarias-y-  
fundacion-cajacanarias-destinan-800000-euros-a-39-entidades/">
```

**Navigation** — These are opportunities to improve keyboard navigation in your application.

#### ▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive

technologies. [Learn more.](#)



MARCA LA X SOLIDARIA. ¡GRACIAS!

```
<h3 class="widget-title">MARCA LA X SOLIDARIA. ¡GRACIAS!</h3>
```

**Additional items to manually check (10)** — These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

- The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more.](#)

- Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more.](#)

- Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

- The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

- User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

- Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

- Custom controls have ARIA roles ^



Custom interactive controls have appropriate ARIA roles. [Learn more.](#)



---

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

- Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with `display: none` or `aria-hidden=true`. [Learn more.](#)

- HTML5 landmark elements are used to improve navigation ^

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

---

## Passed audits (18) ^

- `[aria-*]` attributes match their roles ^

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more.](#)

- `[aria-hidden="true"]` is not present on the document `<body>` ^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn more.](#)

- `[role]`s have all required `[aria-*]` attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more.](#)

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more.](#)

- `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly



---

● `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

---

● `[aria-*)` attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

---

● `[aria-*)` attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

---

● Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

---

● The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

---

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

---

● ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more](#).

---

● `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is



- `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

- Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

- List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. [Learn more.](#)

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

## Not applicable (18) ^

- `[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each



Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more.](#)

---

● ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

---

● ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

---

● `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

---

● Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more.](#)

---

● `[id]` attributes on active, focusable elements are unique ^

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more.](#)

---

● No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more.](#)

---

● `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

---

- Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]`



the `th` or `caption` elements or the `summary` attribute, because this can create a confusing experience for screen reader users. [Learn more](#).

- The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).

- `<object>` elements have `[alt]` text

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more](#).

- No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more](#).

- `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more](#).

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more](#).